

North America

The following is a preliminary list of introduced ant species known to have established populations in North America. For the individual state lists, species might be native to North America, but introduced locally in the particular state.

Taxon	States
<i>Anergates atratulus</i>	OH
<i>Anochetus mayri</i>	FL
<i>Brachymyrmex</i> JAM-001	
<i>Brachymyrmex minutus</i>	FL
* <i>Brachymyrmex obscurior</i>	AZ, FL, MS, TX
<i>Brachymyrmex patagonicus</i>	AL, AR, FL, GA, LA, MS, MO, NC, SC, TX
<i>Camponotus atriceps</i>	
<i>Camponotus planatus</i>	FL, MS, NM, TX
<i>Camponotus sexguttatus</i>	FL
<i>Cardiocondyla emeryi</i>	FL, TX
<i>Cardiocondyla mauritanica</i>	AZ, CA, NM, TX
<i>Cardiocondyla minutior</i>	AL, CA, FL, LA, TX
<i>Cardiocondyla nuda</i>	AZ, GA
<i>Cardiocondyla obscurior</i>	FL, MS, OH
<i>Cardiocondyla venustula</i>	AZ, AR, FL, LA
<i>Cardiocondyla wroughtonii</i>	FL, GA, LA
<i>Crematogaster obscurata</i>	FL
<i>Cyphomyrmex rimosus</i>	AL, FL, GA, LA, MS, NM
* <i>Dorymyrmex flavus</i>	CA
* <i>Eurhopalothrix floridana</i>	
<i>Gnamptogenys triangularis</i>	AL, FL, LA, MS
* <i>Hypoponera opaciceps</i>	AL, AZ, AR, CA, FL, GA, LA, MS, NM, NC, SC, TX, UT
<i>Hypoconera punctatissima</i>	AZ, CA, FL, MS, TX
<i>Hypoconera ragusai</i>	OH
* <i>Lasius neoniger</i>	CA,
<i>Linepithema humile</i>	AL, AR, CA, FL, GA, LA, MS, NC, OH, SC, TN, TX, UT
<i>Monomorium destructor</i>	FL, TN
<i>Monomorium ebeninum</i>	FL
<i>Monomorium floricola</i>	AL, FL, MS
<i>Monomorium pharaonis</i>	B.C.; AL, AZ, AR, CA, FL, GA, IL, LA, MS, MO, NM, FL, OH, PA, SC, TN, TX
** <i>Myrmelachista ramulorum</i>	FL
<i>Myrmica rubra</i>	
<i>Myrmica specioidea</i>	
<i>Nylanderia bourbonica</i>	AL, FL, GA, IL, MO, NC, SC, TX
<i>Nylanderia flavipes</i>	PA
<i>Nylanderia fulva</i>	MS
<i>Nylanderia guatemalensis</i>	FL

<i>Nylanderia pubens</i>	FL, LA, TX
<i>Nylanderia vividula</i>	AL, AZ, FL, GA, LA, MS, NM, TN, TX
<i>Ochetellus glaber</i>	FL
<i>Odontomachus ruginodis</i>	AL, FL, MS, MO
<i>Pachycondyla chinensis</i>	AL, FL, GA, NC, SC, TN
<i>Pachycondyla stigma</i>	FL, LA
<i>Paratrechina longicornis</i>	AL, AZ, CA, FL, GA, LA, MS, NC, SC, TX
* <i>Paratrechina vividula</i>	CA
<i>Pheidole anastasii</i>	
<i>Pheidole fervens</i>	CA
<i>Pheidole flavens</i>	FL
<i>Pheidole megacephala</i>	FL, MO
<i>Pheidole micula</i>	CA
<i>Pheidole moerens</i>	AL, CA, FL, LA, MS, TX
<i>Pheidole obscurithorax</i>	AL, FL, GA, MS, TX
<i>Pheidole teneriffana</i>	CA
<i>Plagiolepis alluaudi</i>	CA
<i>Prionopelta antillana</i>	FL
<i>Pseudomyrmex gracilis</i>	FL, LA, MS, TX
<i>Pyramica eggersi</i>	FL
<i>Pyramica epinotalis</i>	FL
<i>Pyramica gundlachi</i>	FL
<i>Pyramica hexamera</i>	FL
<i>Pyramica margaritae</i>	FL
<i>Pyramica membranifera</i>	CA, FL
<i>Solenopsis geminata</i>	TX
<i>Solenopsis invicta</i>	AL, AR, CA, FL, GA, IL, LA, MS, MO, NM, NC, SC, TN, TX
<i>Solenopsis invicta x richteri</i>	AL
<i>Solenopsis richteri</i>	AL, AR, MS, TN
<i>Solenopsis wagneri</i>	AZ
<i>Strumigenys emmae</i>	FL
<i>Strumigenys hexamera</i>	LA, MS
<i>Strumigenys lanuginosa</i>	
<i>Strumigenys margaritae</i>	AL, GA, LA, MS, TX
<i>Strumigenys membranifera</i>	AL, AZ, AR, GA, LA, MS, NC, SC, TX
<i>Strumigenys rogeri</i>	FL
<i>Strumigenys silvestrii</i>	AL, CA, FL, GA, LA, MS, TX
<i>Tapinoma melanocephalum</i>	CA, FL, IL, LA, MS, MO, OH, TX
<i>Technomyrmex albipes_cf</i>	CA
<i>Technomyrmex difficilis</i>	FL, GA, LA, NC, SC
<i>Technomyrmex vitiensis</i>	
<i>Tetramorium bicarinatum</i>	AL, AR, CA, FL, GA, IL, LA, MS, MO, NC, SC, TX
<i>Tetramorium caespitum</i>	AL, CA, IL, MS, MO, NM, NC, OH, PA, SC, TN, UT
<i>Tetramorium caldarium</i>	FL
<i>Tetramorium insolens</i>	CA
<i>Tetramorium lanuginosum</i>	AL, FL, GA, LA, MS, SC

<i>Tetramorium pacificum</i>	CA
<i>Tetramorium simillimum</i>	CA, FL, GA
<i>Tetramorium tsushimae</i>	IL, MO
<i>Vollenhovia emeryi</i>	
<i>Wasmannia auropunctata</i>	CA, FL

* North American population possibly native. See taxon description for distribution.

** North American population possibly extinct.